

Declaration of Performance

nr. DOP – 2 – Glass Fibre Wall Covering – 01

1.	Unique identification code of the product-type:	P – 2 – Glass Fibre Wall Covering
2.	Product:	Glass Fibre Wall Covering
3.	Intended use of construction product:	Decorative wall coverings – roll and panel form products
4.	Manufacturer:	SAINT-GOBAIN ADFORS CZ, s.r.o. Sokolovská 106, 570 21 Litomyšl, Czech Republic
5.	System of assessment:	System 1
6.	Information about harmonised standard and notified body:	TECHNICKÝ A ZKUŠEBNÍ ÚSTAV STAVEBNÍ PRAHA, s.p., notified body 1020 performed an initial fire resistance test, certification according to EN 15102:2007+A1:2011 and issued certificate nr. 1020-CPD-003-001004, date 14.1.2011

Declared performance:

Essential characteristics	Performance	Harmonised technical specification	
Reaction to fire class:	B-s1-d0 (on plasterboard attached with starched-based glue)	EN15102:2007+A1:2011	
Release of formaldehyde:	Passed		
Release if other dangerous substances:			
Heavy metals and specific elements	Antimony		<4.00 ppm
	Arsenic		Passed
	Barium		Passed
	Cadmium		Passed
	Chromium		Passed
	Lead		Passed
	Mercury		Passed
Selenium	Passed		
Vinyl chloride monomer	Passed		
Sound absorption	NPD		
Thermal resistance	NPD		

In Litomyšl, date 5.6.2013

.....
Miloš Pavliš, General Manager